MEYRA

MC2-RS

GRUNT AND GOODLOOKS

RIDE IN STYLE

MC2-RS: Power and good looks, together at last. This special edition of the beautifully engineered MC2 takes you to the next level in style and power, with an MC2-RS exclusive seating system, 15" black anodised drive rims, optional wide tyres for outdoors and the grunt to match, as well as customisation and accessories galore!





Crash testedComplies with international ISO safety standards for crash safety



Awesome red and black colour scheme and Meyra RS or Recaro seating

High quality German design and manufacture

Made to last with the highest quality components

Heavy duty

User weight up to 160kgs

Highly manoeuvrable

Highly manoeuvrable Conquer the indoors and outdoors with ease

Crash tested

User can be transported by bus and maxi taxi



Phone 1300 734 862 support@patienthandling.com.au





15" drive wheels



Side guard lighting with custom engraving



Black-red RS design



Recaro seat in black leatherette

MEYRA MC2-RS

TECHNICAL DATA

Seat width	380 – 650 mm
Seat depth	400 – 560 mm
Backrest height	450 - 500 mm* *depending on system selected
Legrest length	350 – 500 mm
Armrest height	180 – 290 mm
Seat height - front	530 - 650 mm** **depending on tyre & seating combinations
Overall length – with legrests	Approx. 1130 mm
Overall length – without legrests	Approx. 830 mm
Overall width	635 mm
Wheel size front	260 x 70mm
Wheel size rear	380 x 75mm
Maximum obstacle climbing height	Approx. 60mm

 $1\, Distance\, will\, be\, affected\, by\, client\, weight, terrain\, and\, battery\, condition$

 $Dimension \, tolerances \, \pm \, 10 \, mm \, \pm \, 2^{\circ}$

Data subject to changes

Approx. 840 mm
, , , , , , , , , , , , , , , , , , ,
35 – 40 kms with 73 ah batteries1
Approx. 100 kgs, no batteries
160 kgs
350 watt 4 pole German motors
15 degrees
0 to 10 degrees
0 to 50 degrees, tilt in space
300mm
-10 to + 30 degrees
-10 to + 50 degrees
ISO7176 strength & durability standards ISO7176-19 crash test requirements



Phone 1300 734 862 support@patienthandling.com.au