

MEYRA

SKY

STAND TALL AND PROUD

THE STANDING CHAIR WITH POWER TILT & ELEVATION

Get eye-to-eye with friends and colleagues with the Meyra Sky. With a nimble mid-wheel drive configuration and standing up function—up to 90°*—you can meet life eye-to-eye.

Go from full recline position to standing up—and any position inbetween. Unlike other standing chairs, the Sky has a maximum user weight of 140 kg in any recline or standing position.



+ STAND UP GET
EYE TO EYE



Crash tested

+ Stand up to 90°*

Make social interactions easier, reduce risk of respiratory complications

+ Power elevation & power seat tilt
Tilt 0° to 40° and power elevation up to 200mm
- comfortable and reduces back pain


+ Manoeuvrable mid-wheel drive
Stable and manoeuvrable indoors

+ Crash tested for safety
Complies with international ISO safety standards for crash safety

*Only in static (non-drive) mode



Stand up to 90°—make socialising easier, reduce risk of respiratory complications



Tilt 0° to 40° & 200mm elevation—comfortable and reduces back pain



Mid-wheel drive—stable and manoeuvrable indoors



Chair position memory function—find your comfort zone and save it



Phone 1300 734 862
support@patienthandling.com.au

MEYRA

SKY

TECHNICAL DATA

Seat width in mm	400 – 530	Min. transport weight empty in kg	173
Seat depth in mm	400 – 525	Max. user weight ³⁾ incl. additional load in kg	140
Seat height ¹⁾²⁾ in mm	450 / 485 / 520	Permissible total weight incl. options in kg	340
Back height in mm	540	Max. additional load in kg	10
Lower leg length ¹⁾ in mm	250 – 435	Speed in km/h	6/10
Armrest height ¹⁾ in mm	200 – 350	Motor power W	350
Length with footrests min. in mm	1095	Range with battery – 60 Ah max. in km	35
Transport length in mm	905	Range with battery – 74 Ah max. in km	40
Width, ready to move min. ⁸⁾	640	Permitted uphill/downhill gradient in per cent	15 %
Height without headrest in mm	1080 – 1150	Castor/drive wheel size in inches	6-7" / 14"
Obstacle height in mm	60	Seat tilt, electrical, in degrees	40°
Turning radius min. (with foot-rests) in mm	640	Standing angle max. up to ⁴⁾ in degrees	90°
Ground clearance in mm	70	Back angle electrical ⁴⁾ in degrees	90 – 180°
		Lift in mm	200

1) to seat pan without seat cushion: Height of seat cushion 60 mm

2) measured with 0° seat angle

3) Max. user weight incl. additional load 136 kg for passenger transport in car

4) From 100 kg user weight up adjustment of standing angle necessary

Dimensions in mm, weights in kg, wheels in inches, speed in km/h, dimension tolerance ± 10 mm. Data subject to design changes.

*Only in static (non-drive) mode



Phone 1300 734 862
support@patienthandling.com.au